
This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS								
REV	DESCRIPTION	DATE	INITIAL	APPROVED				
1	HOLE WAS 2-1/2, IS NOW 1-25/32	12-5-05	-	1				
2	HOLE WAS Ø1-25/32, IS NOW Ø1.812	8-14-06	-	-				
2A	CH'D TITLEBLOCK & REVISION BLOCK.	7/1/09	RJC	-				



USED WITH 269A6300-80901 KIT

ASSY QTY	ASSY QTY	B/O	PART#	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS
			-15	1pr.	CYLINDER HOLDING BLOCK	MAPLE OR OAK	2 x 4 x 4
	ASSY #						

RED BARN MACHINE

THE YLINDER HOLDING BLOCK

DWG NO. 06004 6000 00004 15 | REV

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON:
DECIMALS

JECHNALS

.XXX ± .005 FRACTIONS ± 1/32 XX ± .01 ANGLES ±.5°

UNLESS OTHERWISE SPECIFIED

1. BREAK ALL SHARP EDGES
...015 x 45° PR...015 R

DRAWN BY: PERRITT

APPROVED

HEAT
TREAT
FINISH
SPEC SAND SMOOTH

USED ON MODEL

269

-80901

2. DIMENSIONAL LIMITS APPLY AFTER PLATING SCALE NTS DATE 12-5-05 SHEET 1 of 1

	REVISIONS						
REV	DESCRIPTION	DATE	APPROVE				

NOT APPROVED FOR PRODUCTION

				DRAWN BY: PERRITT			
				APPROVED	JUBN KED BAKN MACHINE		
				HEAT TREAT			
				FINISH BLACK OXIDE	TITLE		
			USED ON MODEL	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	J CALIMDES HULDING BLUCK		
			?	TOLERANCES ON: DECIMALS	CILINDEN HOEDHAG DEOCK		
PART #	QTY	DESCRIPTION		.XXX ± .005 FRACTIONS ± 1/32 ANGLES ±.5°	DWG NO.		
1	1	41L40 Ø5/8 x 3/4		.X ± .1	26946300-20901-15		
-1		41L4U 2/3/0 X 3/4		UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES			
				.015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS DATE 9-15-03 SHEET 1 of 1		

REVISIONS						
REV	DESCRIPTION	DATE	APPROVED			

NOT APPROVED FOR PRODUCTION

DESCRIPTION 4140 3/16 x 1 1/2 x 4 BARN MACHINE TITLE **USED ON MODEL** FRACTIONS ± 1/32 ANGLES ±.5° DWG NO. REV. PART # SCALE NTS 9-15-03 SHEET 1 of 1